SAFETY DATA SHEET						
SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION						
PRODUCT NAME: Metered Aerosols GENERAL USE: Deodorizing Air Care UN1950, Aerosols, Flammable,Class 2. Compressed, gas	1, LTD QTY		S ES	SG ASIA PACIFIC		
Manufacturers Name: Nilodor Inc.		DATE PREPARE SUPERSEDES:	D: 11,January 2019	Page 1 of 4		
10966 Industrial Parkway		1-330-874-1017				
Bolivar, OH 44612 USA		CHEMTEL EMERGENCY TELEPHONE NUMBER North America: 1-800-255-3924 International: +01-813-248-0585				
DISTRIBUTOR'S NAME: ESG ASIA P	ACIFIC					
ADDRESS (NUMBER, STREET, P.O. BOX) 8/18 Sir Joseph Banks Drive		TELEPHONE NUMBER FOR INFORMATION PH+61-29525-5102				
(CITY, STATE AND ZIP CODE) CO Kurnell, NSW, 2231 Austra	DUNTRY alia	DISTRIBUTOR EMERGENCY TELEPHONE NUMBER Not Provided				
S	ECTION 2 - HAZA	ARDOUS IDENTI	FICATION			
H280 Contains gas under pressure may ex H336 May cuase drowsiness or dizziness	EMERGENCY OVERVIEW HH223 Flammable Aerosol H280 Contains gas under pressure may explode if heated H336 May cuase drowsiness or dizziness Hazardous Substance / Dangerous Good. Hazardous classification according to the criteria of NOHSC. Dangerous Goods classification according					
POTENTIAL HEALTH EFFECTS: May	be a mild irritant du	ue to fragrance, n	o ecological hazards kr	nown.		
INHALATION: May be a mild irritant if s	ensitivity to fragran	ice.				
SKIN: Direct and repeated exposure ca	an irritate H315					
EYES: Direct exposure can irritate H31						
INGESTION: Not expected to be a prob						
CARCINOGENICITY NO	NTP NO	IARC MONOGF		HA REGULATED NO		
		AZARDS INGREE				
Hazarous Components	% (by Weight)	Cas #	EINECS #			
Propane Butane	15-40 5-10	74-98-6 106-97-8	200-827-9 203-448-7			
Trade Secret Fragrance Mixture	1-5	None	Not Listed			
2-Propanone	15-40	67-64-1				
Notes: Product is classified as ORMD Consumer C		07-04-1				
Air / Ocean: UN1950, Aerosols, Flammable, Class 2.1, LTD QTY						

MATERIAL	SAFETY	DATA	SHEET
		DAIA	

PRODUCT NAME: Metered Aerosol Date: 11 January 2019

SECTION 4 - FIRST AID MEASURES

Page 2 of 4

Page 3 of 4

Use good personal hygiene practices. If skin contact should occur, material should be washed away with a mild soap and water. Wash hands and other exposed areas thoroughly before eating, drinking, smoking or using toilet facilities. Do not smoke, drink or eat in areas where this product is stored or handled. For extensive scale or contamination removal, the following precautions should be taken: the work area shouldbe well-ventilated and access should be restricted, surface contaminants should be kept wet, plastic ground cover should be used to contain contaminants and facilitate clean-up, and high efficiency particulate respirators should be worn unless concentrations are not expected to exceed limits established. Suitable coveralls and gloves should be worn and contaminated protective equipment and clothing should be decontaminated or disposed of.

INHALATION: Remove to fresh air P304, P340

EYES: Flush eyes with copious amounts of water, holding lids open, if irritation persists, consult a physician. P305, P312, P323, P324, P3

P313, P337, P338, P351

SKIN: Wash with soap and water P302, P352, P313

INGESTION: Give water / milk to drink if conscious. P270, P330

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: None Known

EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical

FIRE FIGHTING PROCEDURES: As for surrounding fire

UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen, and sulfur

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep away from skin and eyes, keep out of surface waters, gather up scattered cans after any discharging, and dispose.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Take reasonable care, do not puncture cans, keep away from skin, eyes, food, and beverages. Wash hands after use. Keep containers closed and stored at ambient conditions (5-50 C / 40-120 F) P251,P270, P264, P261, P410, P403.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION							
HAZARDOUS		NIOSH					
COMPONENTS	TWA ppm	TWA mg/m3		STEL mg/m3			
Propane	TLV1000		Asphyxiant				
Butane	1000		Asphyxiant				
Acetone	500		5800mg/kg				
2-2Ethoxyethoxy							
Ethanol	NONE		6500mg/kg				
MATERIAL SAFETY DATA SHEET							
PRODUCT NAME:	Metered Ae	erosol					

Date: 14 July, 2016

PERSONAL PROTECTION:						
RESPIRATORY PROTECTION: Not normally necessary						
PROTECTIVE GLOVES: Rubber or protective gloves if handling in large quantities P280						
EYE PROTECTION: Goggles if handlin						
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not required						
WORK / HYGIENIC PRACTICES: Keep out of food and beverages P270						
SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES						
APPEARANCE AND ODOR Liquid /compressed gas in steel can, odor dependent on description		VAPOR PRESSURE As Water				
pH Not Applicable	SPECIFIC G	SPECIFIC GRAVITY (WATER = 1) Not Applicable				
BOILING POINT / BOILING RANGE Not Applicable		SOLUBILITY	IN WATER Partially Solut	le		
FLASH POINT Concentrate 0 F. Flammable can.		VISCOSITY As Water				
FLAMMABLE LIMITS Not Determined LEL: UEL:		VAPOR DENSITY (AIR = 1) Not Determined				
AUTOIGNITION TEMPERATURE Not Determined		EVAPORATION RATE (WATER = 1) As Water				
S	ECTION 10 - STA	BILITY AND	REACTIVITY			
			CONDITIONS TO AVOID: None Known			
INCOMPATIBILITY (MATERIALS TO AVOID): None Known, avoid temperatures > 55C and open flame.						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None Known						
HAZARDOUS POLYMERIZATION	CONDITIONS TO AVOID: None Known					
SECTION 11 - TOXICOLOGICAL INFORMATION						
Hazardous Components	CAS # EINECS		LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)		
Propane	74-98-6		Asphyxiant			
Butane	106-97-8		Asphyxiant			
Acetone	67-64-1		5800mg/kg			
2-2-Ethoxyethoxy Ethanol	11-90-0		6500mg/kg			
	SECTION 12 - ECO		NFORMATION			

Ecotoxicity- None Known, Degradability- Biodegradable, Bioaccumulation- None Known, Mobility in Environment-Not determined

SECTION 13 - DISPOSAL CONSIDERATIONS					
WASTE DISPOSAL METHOD: Dispose according to Federal, State, or Local Regulations, P501					
MATERIAL SAFETY DATA SHEET					
PRODUCT NAME: Metered Aerosol					
Date: 11 January 2019	Page 4 of 4				

SECTION 14 - TRANSPORT INFORMATION					
PROPER SHIPPING NAME:Consumer Commodity ORMD					
DOT CLASS / Pack Group: ORMD	IATA HAZ	ARD CLAS	S / Pack Group: No Packing Group		
REFERENCE: 49 CFR		ZARD CLAS	SS: 2.1		
UN / NA IDENTIFICATION NUMBER: UN 1950		RID/ADR Dangerous Goods Code: NA			
LABEL: Aerosols, Flammable		UN TDG Class / Pack Group: NA			
HAZARD SYMBOLS: LTD QTY			Number (HIN): UN1950		
Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.					
S	ECTION 15 - REGULATOR	Y INFOR	MATION		
TSCA (USA - Toxic Substance Cor	ntrol Act) INCLUDED				
SARA TITLE III (USA - Superfund)	Amendments and Reautho	orization /	Act) NO REPORTABLES		
			1986 NO SUBSTANCES PRESENT		
DSL / NDSL (Canadian Domestic S					
EINECS (European Inventory of Ex					
WGK Water Quality Index: NA					
	SECTION 16 - OTHER II	NFORMAT	IION		
Ths substance has no schedule					
number alloted due to NO Poisons					
	HEALTH:	1	0 = INSIGNIFICANT		
	FLAMMABILITY:	4			
HMIS HAZARD RATINGS	PHYSICAL HAZARD:	0	2 = MODERATE		
		Ŭ	3 = HIGH		
	PERSONAL PROTECTIVE	N	4 = EXTREME		
REVISION SUMMARY:	EQUIPMENT.		4 = EXTREME		
REVISION SUMMART.					
			Г		
MSDS Prepared by: KAB (Nilodor Technical)					
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information					
furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance					
of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore,					
			asonable safety procedures are followed. Any		
questions regarding this product should be directed to the manufacturer of the product as described in Section 1.					