

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: SafeWork Australia Approved Code of Practice about the preparation of safety data sheets for hazardous chemicals (July 2020), which is an approved code of practice under section 274 of the Work Health and Safety Act

Issuing Date 23-Jan-2018	Revision Date	13-Mar-2023	Revision Number 1
Section 1: Identification			
Product identifier			
Product Name	Clorox® Disinfecting Wi	pes Commercial Solutions Fresh Scent	
Other means of identification			
Recommended use of the chemical	and restrictions on use	<u>-</u>	
Recommended use	Cleaning & disinfecting		
Uses advised against	No information available	)	
Illicit Drug Precursors/Reagents	-	ne or more substance(s) on the Illicit Drug Protect to using, handling, and storing these sub-	5
Details of manufacturer or importer	-		
<u>Supplier</u> Clorox Australia			

<u>Supplier</u> Clorox Australia Level 3, The Avenue, 10 Herb Elliott Ave, Sydney Olympic Park, NSW, Australia, 2127

For further information, please contact

#### Emergency telephone number

Emergency telephone number Off: +61 2 8737 4737 Mob: +61 401 987 722

## Section 2: Hazard(s) identification

#### GHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

#### Label elements

Exclamation mark



Signal word WARNING Hazard statements Causes skin irritation Causes serious eye irritation

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off all contaminated clothing and wash it before reuse

#### Other hazards which do not result in classification

No information available.

## Section 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
2-Hexyloxyethanol	112-25-4	1 - <2.5
Propan-2-ol	67-63-0	0.1 - <0.5
Ethanol	64-17-5	0.025 - <0.1
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First aid measures

#### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Emergency telephone number	Poisons Information Centre, Australia: 13 11 26
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	No information available.
Indication of any immediate medica	al attention and special treatment needed
Note to doctors	Treat symptomatically.

#### Section 5: Firefighting measures

Suitable Extinguishing Media	
Suitable extinguishing media	Dry chemical, CO2, alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the c	hemical
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Thermal decomposition can lead to release of irritating and toxic gases and vapours, Carbon oxides.
Special protective actions for fire-f	ighters
Special protective equipment and precautions for fire-fighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801

(for protective gloves) will provide a basic level of protection for chemical incidents.

#### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

## Section 7: Handling and storage

#### Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Do not eat, drink or<br/>smoke when using this product. Take off contaminated clothing and wash it before reuse.<br/>Warning! Do not use together with other products. Avoid inhalation of vapours/spray and<br/>contact with skin and eyes.General hygiene considerationsWear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Acids, Alkali, Strong oxidising agents, Strong reducing agents, Do not mix with other household chemical products.

## Section 8: Exposure controls and personal protection

#### **Control parameters**

#### **Exposure Limits**

Chemical name	Australia	New Zealand	ACGIH TLV
Propan-2-ol	TWA: 400 ppm	TWA: 400 ppm	STEL: 400 ppm
67-63-0	TWA: 983 mg/m <sup>3</sup>	TWA: 983 mg/m <sup>3</sup>	TWA: 200 ppm
	STEL: 500 ppm	STEL: 500 ppm	
	STEL: 1230 mg/m <sup>3</sup>	STEL: 1230 mg/m <sup>3</sup>	
Ethanol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
64-17-5	TWA: 1880 mg/m <sup>3</sup>	TWA: 1880 mg/m <sup>3</sup>	

Chemical name	European Union	United Kingdom	Germany DFG
Propan-2-ol	-	TWA: 400 ppm	TWA: 200 ppm
67-63-0		TWA: 999 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
		STEL: 500 ppm	Peak: 400 ppm
		STEL: 1250 mg/m <sup>3</sup>	Peak: 1000 mg/m <sup>3</sup>
Ethanol	-	TWA: 1000 ppm	TWA: 200 ppm
64-17-5		TWA: 1920 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>
		STEL: 3000 ppm	Peak: 800 ppm
		STEL: 5760 mg/m <sup>3</sup>	Peak: 1520 mg/m <sup>3</sup>

#### **Biological occupational exposure**

limits

Chemical name	Australia	ACGIH	European Union
Propan-2-ol	-	40 mg/L - urine (Acetone) -	-
67-63-0		end of shift at end of	
		workweek	

#### Appropriate engineering controls

#### Engineering controls Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields. Personal protective equipment for eye and face protection should comply with Australia Standard AS/NZS 1337.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. No protective equipment is needed under normal use conditions. Repeated or prolonged contact:
Hand protection	Wear suitable gloves. Impervious gloves. No protective equipment is needed under normal use conditions. Repeated or prolonged contact: To protect hands from chemicals, gloves should comply with Australia AS/NZS 2161.

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia Standard AS/NZS 1716.
Environmental exposure controls	Keep container closed when not in use.
Thermal hazards	No information available.

# Section 9: Physical and chemical properties

Information on bosis abusised and		
Information on basic physical and of Appearance	Liquid-impregnated wipe	
Physical state	Liquid	
Colour	White	
Odour	No information available	
Odour threshold	No information available	
Values		Remarks • Method
pH		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling rang	e	No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive		No data available
limits		
Lower flammability or explosive		No data available
limits		
Vapour pressure		No data available
Vapour density		No data available
Relative density		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Other information		
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Particle characteristics	No information available	

# Section 10: Stability and reactivity

Reactivity	
Reactivity	None under normal use conditions.
Chemical stability	
Stability	Stable under normal conditions.

Explosion data Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
Incompatible materials	
Incompatible materials	Acids, Alkali, Strong oxidising agents, Strong reducing agents, Do not mix with other household chemical products.

#### Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## Section 11: Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.		
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.		
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).		
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.		
Symptoms	Redness. May cause redness and tearing of the eyes.		
Acute toxicity			
Numerical measures of toxicity - Product Information			
Numerical measures of toxicity	Based on available data, the classification criteria are not met.		

#### The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral)	41,150.90 mg/kg
ATEmix (dermal)	61,336.00 mg/kg

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Hexyloxyethanol	= 738 mg/kg (Rat)	= 757 mg/kg (Rabbit)	> 0.5 mg/L (Rat)4 h

Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat)6 h
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat)4 h = 133.8 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitisation	No information available.
Germ cell mutagenicity	No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Propan-2-ol - 67-63-0	-	-	Group 3
Ethanol - 64-17-5	-	-	Group 1

#### Legend

## IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

## Section 12: Ecological information

#### **Ecotoxicity**

#### Aquatic ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Hexyloxyethanol	EC50: =98mg/L (72h, Desmodesmus subspicatus	LC50: 140 mg/L (96h, Pimephales promela)	-	EC50: =145 mg/L (48h, Daphnia magna)
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >140000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
Ethanol	EC50: = 22000 mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 15300 mg/L (96h, Pimephales promelas) NOEC: 250 mg/L (120h, Danio rerio)	IC50: >1000 mg/L (3h, Activated sludge)	EC50: >10000 mg/L (48h, Daphnia magna) NOEC: 9.6 mg/L (9d, Daphnia magna)

```
Terrestrial ecotoxicty
```

There is no data for this product.

Chemical name	Earthworm	Avian	Honeybees
	Acute Toxicity: LC50 0.1 - 1 mg/cm2 (Eisenia foetida 48 h filter paper) Source: IUCLID		-

#### Persistence and degradability

Persistence and degradability No information available.

#### Bioaccumulative potential

#### **Bioaccumulation**

There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient
2-Hexyloxyethanol	1.97
Propan-2-ol	0.05
Ethanol	-0.35

#### Mobility

Mobility

No information available.

Other adverse effects

Other adverse effects

No information available.

## Section 13: Disposal considerations

#### Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

### Contaminated packaging Do not reuse empty containers.

See section 8 for more information

Section 14: Transport information	
ADG	Not regulated
IATA	Not regulated
IMDG	Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code No information available

## Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### <u>Australia</u>

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) No poisons schedule number allocated

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
2-Hexyloxyethanol - 112-25-4	Present	-
Propan-2-ol - 67-63-0	Present	-
Ethanol - 64-17-5	Present	-

#### **Illicit Drug Precursors/Reagents**

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling, and storing these substances.

#### National pollutant inventory

## Subject to reporting requirement

Chemical name	National pollutant inventory
Propan-2-ol - 67-63-0	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Ethanol - 64-17-5	10 tonne/yr Threshold category 1

#### International Inventories

Contact supplier for inventory compliance status

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information		
Issuing Date	23-Jan-2018	
Revision Date	13-Mar-2023	

Revision Note	Updated format.		
	abbreviations and acronyms used in <u>EXPOSURE CONTROLS/PERSONA</u> TWA (time-weighted average) Maximum limit value Carcinogen		et STEL (Short Term Exposure Limit) Skin designation
Key literature refe	erences and sources for data used to	o compile the SDS	
U.S. Environmenta European Food Sa EPA (Environmenta Acute Exposure G U.S. Environmenta U.S. Environmenta Food Research Jo Hazardous Substa International Unifo Japan GHS Classi Australian Nationa Australian Industria NIOSH (National In National Library of National Library of National Toxicolog New Zealand's Ch Organisation for E Organisation for E	nce Database rm Chemical Information Database (IU fication I Industrial Chemicals Notification and J al Chemicals Introduction Scheme (AIC nstitute for Occupational Safety and He Medicine's ChemID Plus (NLM CIP) Medicine's PubMed database (NLM P y Program (NTP) emical Classification and Information D conomic Co-operation and Development conomic Co-operation and Development conomic Co-operation and Development	ase e, Fungicide, and Rode olume Chemicals CLID) Assessment Scheme ( IS) alth) UBMED) atabase (CCID) nt Environment, Health nt High Production Vol	(NICNAS) n, and Safety Publications lume Chemicals Programme

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**