

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PURELL® Professional Sanitising Surface Disinfectant

#### Manufacturer or supplier's details

Company : GOJO Australasia Pty Ltd  
Address : Suite 14A, Unit 1, Level 1  
Lakes Business Park, 2B Lord Street  
Botany, NSW 2019  
Telephone : +612 9016 3885  
Emergency telephone number : 1800 634 340  
Telefax : +612 9437 5571

#### Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants and general biocidal products

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

Precautionary statements :

#### Prevention:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.

#### Response:

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethyl Alcohol	64-17-5	$\geq 30$ - $< 60$
Isopropyl Alcohol	67-63-0	$< 10$
Potassium Hydroxide	1310-58-3	$< 10$

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if irritation develops and persists.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Seek medical advice.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Rinse mouth with water.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0	Revision Date: 20.02.2018	SDS Number: 400000005534	Date of last issue: - Date of first issue: 20.02.2018
----------------	------------------------------	-----------------------------	--

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Cool closed containers exposed to fire with water spray.  
Flash back possible over considerable distance.  
May form explosive mixtures in air.  
Exposure to decomposition products may be a hazard to health.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Material can create slippery conditions.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Keep in suitable, closed containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.
-

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 40000005534      Date of last issue: -  
Date of first issue: 20.02.2018

- Advice on safe handling : Avoid contact with eyes.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with eyes.  
Wash hands before breaks and immediately after handling the product.
- Conditions for safe storage : No smoking.  
Take measures to prevent the build up of electrostatic charge.  
Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with the particular national regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	AU OEL
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	400 ppm 983 mg/m <sup>3</sup>	AU OEL
		STEL	500 ppm 1,230 mg/m <sup>3</sup>	AU OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Potassium Hydroxide	1310-58-3	Peak limit	2 mg/m <sup>3</sup>	AU OEL
		C	2 mg/m <sup>3</sup>	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : No special measures necessary provided product is used correctly.  
Wear face-shield and protective suit for abnormal processing problems.

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0	Revision Date: 20.02.2018	SDS Number: 400000005534	Date of last issue: - Date of first issue: 20.02.2018
----------------	------------------------------	-----------------------------	--

---

Skin and body protection : No special measures necessary provided product is used correctly.

Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : No data available

pH : 12.6 - 12.9 (24 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling range : 77 °C

Flash point : 30.8 °C Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : 19 %(V)

Lower explosion limit : 3.3 %(V)

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.952 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2018	400000005534	Date of first issue: 20.02.2018

---

Auto-ignition temperature : not determined

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity  
Viscosity, dynamic : 2.6 mPa.s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Ethyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

##### **Isopropyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

---

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2018	400000005534	Date of first issue: 20.02.2018

---

### Potassium Hydroxide:

Acute oral toxicity : LD50 Oral (Rat, male): 333 mg/kg  
LD50 Oral (Rat, male): 388 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Result: No skin irritation

### Components:

#### Ethyl Alcohol:

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

#### Isopropyl Alcohol:

Species: Rabbit  
Result: No skin irritation

#### Potassium Hydroxide:

Result: Causes severe burns.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Ethyl Alcohol:

Species: Rabbit  
Result: Irritation to eyes, reversing within 21 days  
Method: OECD Test Guideline 405

#### Isopropyl Alcohol:

Species: Rabbit  
Result: Irritation to eyes, reversing within 21 days

#### Potassium Hydroxide:

Result: Irreversible effects on the eye  
Remarks: May cause irreversible eye damage.



**PURELL® Professional Sanitising Surface Disinfectant**

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

---

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**Ethyl Alcohol:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Skin contact  
Species: Mouse  
Result: negative

**Isopropyl Alcohol:**

Test Type: Buehler Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative

**Potassium Hydroxide:**

Result: Does not cause skin sensitisation.

**Chronic toxicity**

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Ethyl Alcohol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Isopropyl Alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection



# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

---

Result: negative

### Potassium Hydroxide:

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

### Carcinogenicity

Not classified based on available information.

### Components:

#### Isopropyl Alcohol:

Species: Rat  
Application Route: inhalation (vapour)  
Exposure time: 104 weeks  
Method: OECD Test Guideline 451  
Result: negative

### Potassium Hydroxide:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Ethyl Alcohol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

#### Isopropyl Alcohol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Potassium Hydroxide:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction  
No toxicity to reproduction

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

---

### STOT - single exposure

Not classified based on available information.

#### Components:

#### Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### Components:

#### Ethyl Alcohol:

Species: Rat  
NOAEL: 2,400 mg/kg  
Application Route: Ingestion  
Exposure time: 2 y

#### Isopropyl Alcohol:

Species: Rat  
NOAEL: 5000 ppm  
Application Route: inhalation (vapour)  
Exposure time: 104 w  
Method: OECD Test Guideline 413

#### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Ethyl Alcohol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0	Revision Date: 20.02.2018	SDS Number: 400000005534	Date of last issue: - Date of first issue: 20.02.2018
----------------	------------------------------	-----------------------------	--

---

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l  
Exposure time: 0.25 h

### Isopropyl Alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

### Potassium Hydroxide:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l  
Exposure time: 96 h

### Persistence and degradability

#### Components:

##### Ethyl Alcohol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### Isopropyl Alcohol:

Biodegradability : Result: rapidly degradable

##### Potassium Hydroxide:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### Ethyl Alcohol:

Partition coefficient: n-octanol/water : log Pow: -0.35

##### Isopropyl Alcohol:

Partition coefficient: n-octanol/water : log Pow: 0.05

### Mobility in soil

No data available

### Other adverse effects

No data available

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0      Revision Date: 20.02.2018      SDS Number: 400000005534      Date of last issue: -  
Date of first issue: 20.02.2018

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulation

##### IATA-DGR

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : III  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

##### IMDG-Code

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

#### National Regulations

##### ADG

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Hazchem Code : •3Y

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 5

Prohibition/Licensing Requirements : There is no applicable prohibition or

---

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version 1.0	Revision Date: 20.02.2018	SDS Number: 400000005534	Date of last issue: - Date of first issue: 20.02.2018
----------------	------------------------------	-----------------------------	--

notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

### The components of this product are reported in the following inventories:

CH INV	:	On the inventory, or in compliance with the inventory
TSCA	:	On TSCA Inventory
DSL	:	All components of this product are on the Canadian DSL.
AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;

# SAFETY DATA SHEET



## PURELL® Professional Sanitising Surface Disinfectant

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.02.2018	400000005534	Date of first issue: 20.02.2018

---

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN